

CLINICAL AND EXPERIMENTAL IMMUNOLOGY

AN OFFICIAL JOURNAL OF THE
BRITISH SOCIETY FOR IMMUNOLOGY

Editor

M. J. WALPORT

Associate Editors

P. J. LACHMANN, P. J. M. OPENSHAW,
A. D. B. WEBSTER and A. P. WEETMAN

Editorial board

P. W. ANDREW, J. F. BACH, A. BASTEN, Z. BENTWICH, A. G. BIRD, G. F. BOTTAZZO,
H. CHAPEL, P. J. CICLITIRA, M. COOPER, C. CUNNINGHAM-RUNDLES, M. R. DAHA,
R. L. DAWKINS, A. M. DENMAN, U. DESSELBERGER, D. FEARON, M. FELDMANN,
J. S. H. GASTON, M. R. HAENEY, A. HAMBLIN, J. A. HANSEN, M. HARBOE, J. IVANYI,
R. JEFFERIS, J. R. KALDEN, D. KATY, M. KEMENY, T. KISHIMOTO, M. LOCKWOOD,
T. T. MACDONALD, R. N. MAINI, P. MATHIESON, B. P. MORGAN, D. OLIVEIRA,
A. J. PINCHING, D. S. PISETSKY, T. PLATTS-MILLS, R. REISFELD, J. RHODES, R. R. RICH,
F. S. ROSEN, J. SAKLATVALA, S. F. SCHLOSSMAN, A. SEGAL, E. M. TAN, A. THOMSON,
R. THORPE, H. VALDIMARSSON, P. VENABLES, T. A. WALDMANN, K. WHALEY,
H. N. A. WILLCOX, R. WILLIAMS

VOLUME 112
pages 1-556

BLACKWELL SCIENCE LTD

OXFORD LONDON EDINBURGH BOSTON MELBOURNE PARIS BERLIN VIENNA

1998

Published for the British Society for Immunology by
Blackwell Science Ltd
Osney Mead, Oxford OX2 0EL, UK
25 John Street, London WC1N 2BL, UK
23 Ainslie Place, Edinburgh EH3 6AJ, UK
Suite 500, 5th Floor, 238 Main Street, Boston, MA 02142, USA
107 Barry Street, Carlton, Victoria 3053, Australia
Meinekestrasse 4, D-1000 Berlin 15, Germany
15 rue Casimir Delavigne, 75005 Paris, France
Feldgasse 13, A-1238 Vienna, Austria

Typeset and Printed by the Alden Group, Oxford.

© 1998 Blackwell Science Ltd. Authorization to photocopy items for internal or personal use, or the internal or personal use of specific clients, is granted by Blackwell Scientific Publications Ltd. For libraries and other users registered with the Copyright Clearance Center (CCC) Transactional Reporting Service, authorization is granted provided that the base fee of \$14.00 per copy is paid directly to CCC, 222 Rosewood Drive, Suite 910, Danvers, MA 01923, USA. This consent does not extend to other kinds of copying, such as copying for general distribution for advertising or promotional purposes, for creating new collective works or for resale. Special requests should be addressed to the Editor. 0009—9104/98/\$14.00.

CLINICAL AND EXPERIMENTAL IMMUNOLOGY

CONTENTS

Vol 112 No 1 April 1998

- J. WAHLSTRÖM, B. DAHLÉN, E. IHRE, H. WIGZELL, J. GRUNEWALD & A. EKLUND
Selective CD8⁺ T cells accumulate in the lungs of patients with allergic asthma after allergen bronchoprovocation 1
C. ROOZENDAAL, M. H. ZHAO, G. HORST, C. M. LOCKWOOD, J. H. KLEIBEUKER, P. C. LIMBURG, G. F. NELIS & C. G. M. KALLENBERG
Catalase and α -enolase: two novel granulocyte autoantigens in inflammatory bowel disease (IBD) 10
N. NAGVEKAR, L. W. JACOBSON, N. WILLCOX & A. VINCENT
Epitopes expressed in myasthenia gravis (MG) thymomas are not recognized by patients' T cells or autoantibodies 17
K. ADEMME, M. EBERT, F. ULLER-OSTERMEYER, H. FRIESS, M. W. BUCHLER, W. SCHUBERT & P. MALFERTHEINER
Effector T lymphocyte subsets in human pancreatic cancer: detection of CD8⁺CD18⁺ cells and CD8⁺CD103⁺ cells by multi-epitope imaging 21
M. NICKELLS, R. HAUHART, M. KRYCH, V. BALA SUBRAMANIAN, K. GEOGHEGAN-BAREK, H. C. MARSH JR & J. P. ATKINSON
Mapping epitopes for 20 monoclonal antibodies to CR1 27
G. M. HOLTKAMP, M. VAN ROSSEM, A. F. DE VOS, B. WILLEKENS, R. PEEK & A. KIJLSTRA
Polarized secretion of IL-6 and IL-8 by human retinal pigment epithelial cells 34
B. BASKIN, K. B. ISLAM & C. I. E. SMITH
Characterization of the CDR3 region of rearranged a heavy chain genes in human fetal liver 44
J. MERINO, M. J. MARTÍNEZ-GONZÁLEZ, M. RUBIO, S. INOGÉS, A. SÁNCHEZ-IBARROLA & M. L. SUBIRÁ
Progressive decrease of CD8^{high}⁺ CD28⁺ cd57⁻ cells with ageing 48
G. BATONI, S. ESIN, R. A. HARRIS, G. KÄLLENIUS, S. B. SVENSON, R. ANDERSSON, M. CAMPA & H. WIGZELL
 $\gamma\delta$ ⁺ and CD4⁺ $\alpha\beta$ ⁺ human T cell subset responses upon stimulation with various Mycobacterium tuberculosis soluble extracts 52
K. SATO, T. AKAKI & H. TOMIOKA
Differential potentiation of anti-mycobacterial activity and reactive nitrogen intermediate producing ability of murine peritoneal macrophages activated by interferon-gamma (IFN- γ) and tumour necrosis factor-alpha (TNF- α) 63
G. J. WAINE, W. YANG, A. G. P. ROSS, Y. S. LI, A. C. SLEIGN, B. H. KALINNA, J. C. SCOTT, D. MAZZER, Y. LI & D. P. McMANUS
Differential antigen-stimulated proliferation of human mononuclear cells by recombinant Schistosoma japonicum antigens in a Chinese population 69
B. MORENO, C. J. WOODALL, N. J. WATT, G. D. HARKISS
Transforming growth factor-beta (TGF- β 1) expression in ovine lentivirus-induced lymphoid interstitial pneumonia 74
T. IDZIOREK, J. KHALIFE, O. BILLAUT-MULOT, E. HERMANN, M. AUMERCIER, Y. MOUTON, A. CAPRON & G. M. BAHR
Recombinant human IL-16 inhibits HIV-1 replication and protects against activation-induced cell death (AICD) 84
C. TRUMPFHELLER, K. TENNER-RACZ, P. RACZ, B. FLEISCHER & S. FROSCH
Expression of macrophage inflammatory protein (MIP)-1 α , MIP-1 β , and RANTES genes in lymph nodes from HIV⁺ individuals: correlation with a Th1-type cytokine response 92
A. OLAITAN, M. A. JOHNSON, W. M. REID & L. W. POULTER
Changes to the cytokine microenvironment in the genital tract mucosa of HIV⁺ women 100
A. BERGAMINI, F. BOLACCHI, E. FAGGIOLI, R. PLACIDO, S. VENDETTI, L. CAPPANNOLI, L. VENTURA, G. CERASARI, I. UCCELLA, M. ANDREONI & G. ROCCHI
HIV-1 does not alter in vitro and in vivo IL-10 production by human monocytes and macrophages 105
A. SALERNO, C. T. BONANNO, N. CACCAMO, D. CIGNA, R. COMINICI, C. FERRO, G. SIRECI & F. DIELI
The effect of cyclosporin A, FK506 and rapamycin on the murine contact sensitivity reaction 112
M. SUGIMOTO, M. SHIMAOKA, K. HOSOTSUBO, H. TANIGAMI, N. TAENAKA, H. KIYONO & I. YOSHIYA
Up-regulation of FAS ligand (FasL) mRNA expression in peripheral blood mononuclear cells (PBMC) after major surgery 120
E. W. YU, K. E. DOLTER, L.-E. SHAO & J. YU
Suppression of IL-6 biological activities by activin A and implications for inflammatory arthropathies 126
H. TAKI, E. SUGIYAMA, T. MINO, A. KURODA & M. KOBAYASHI
Differential inhibitory effects of indomethacin, dexamethasone and interferon-gamma (IFN- γ) on IL-11 production by rheumatoid synovial cells 133
L. CAPONI, S. BOMBARDIERI & P. MIGLIORINI
Anti-ribosomal antibodies bind the Sm proteins D and B/B' 139
L. LA ROSA, G. COVINI, C. GALPERIN, L. CATELLI, N. DEL PAPA, G. REINA, A. MORABITO, G. BALESTRIERI, A. TINCANI, M. E. GERSHWIN & P. L. MERONI
Anti-mitochondrial M5 type antibody represents one of the serological markers for anti-phospholipid syndrome distinct from anti-cardiolipin and anti- β_2 -glycoprotein I antibodies 144

E. E. YIANNAKI, A. G. TZIOUFAS, M. BACHMANN, J. HANTOUMI, V. TSIKARIS, M. SAKARELLOS-DAITSIOTIS, C. SAKARELLOS & H. M. MOUTSOPOULOS The value of synthetic linear epitope analogues of La/SSB for the detection of autoantibodies to La/SSB; specificity, sensitivity and comparison of methods	152	E. FLESCHER, H. TRIPOLI, K. SALNIKOW & F. J. BURNS Oxidative stress suppresses transcription factor activities in stimulated lymphocytes	242
Vol 112 No 2 May 1998		S. Z. SACK, Y. LIU, J. GERMAN & N. S. GREEN Somatic hypermutation of immunoglobulin genes is independent of the Bloom's syndrome DNA helicase	248
M. MACCIONI, V. E. RIVERO & C. M. RIERA Prostatein (or rat prostatic steroid binding protein) is a major autoantigen in experimental autoimmune prostatitis	159	D. C. IRELAND, E. L. SPRING, E. MOISEEVA & D. P. DE BONO Genetic identification of antigens exposed in damaged endothelial cells as laminin-binding proteins	255
S. JODO, S. KOBAYASHI, Y. NAKAJIMA, T. MATSUNAGA, N. NAKAYAMA, N. OGURA, N. KAYAGAKI, K. OKUMURA & T. KOIKE Elevated serum levels of soluble Fas/APO-1 (CD95) in patient with hepatocellular carcinoma	166	P. R. WHEELER, J. G. RAYNES, G. M. O'SULLIVAN, D. DUGGAN & K. P. W. J. McADAM Sulphatide-binding properties are shared by serum amyloid P component and a polyreactive germ-line IgM autoantibody, the TH3 idiotype	262
M. A. NASH, R. LENZI, C. L. EDWARDS, J. J. KAVANAGH, A. P. KUDELKA, C. F. VERSCHRAEGEN, C. D. PLATSOUAS & R. S. FREEDMAN Differential expression of cytokine transcripts in human epithelial ovarian carcinoma by solid tumour specimens, peritoneal exudate cells containing tumour, tumour-infiltrating lymphocyte (TIL)-derived T cell lines and established tumour cell lines	172	C. E. VISSER, J. TEKSTRA, J. J. E. BROUWER-STEENBERGEN, C. W. TUK, D. M. BOORSMA, S. C. SAMPAT-SARDJOEPERSAD, S. MEIJER, R. T. KREDIET & R. H. J. BEELEN Chemokines produced by mesothelial cells: huGRO- α , IP-10, MCP-1 and RANTES	270
K. CASTEELS, M. WAER, R. BOUILLON, J. DEPOVERE, D. VALCKX, J. LAUREYS & C. MATHIEU 1,25-Dihydroxyvitamin D ₃ restores sensitivity to cyclophosphamide-induced apoptosis in non-obese diabetic (NOD) mice and protects against diabetes	181	M. COROMINAS, M. MESTRE, J. BRAS & E. BUENDIA Distinct modulation by interferon-gamma (IFN- γ) of CD23 expression on B and T lymphocytes of atopic subjects	276
S. SHENOY, K. DESCH, B. DUFFY, P. THORSON & T. MOHANAKUMAR Analysis of graft-versus-host disease (GVHD) and graft rejection using MHC class I-deficient mice	188	L. L. SANTOS, X. R. HUANG, M. C. BERNDT & S. R. HOLDSWORTH P-selectin requirement for neutrophil accumulation and injury in the direct passive Arthus reaction	281
K. TOMIYAMA, H. WATANABE, S. SEKI, M. ITO & T. ABO Phenotypic and functional modulation of T cells <i>in vivo</i> by extrathymic T cells when T cells with MHC class II disparity were injected into athymic nude mice	196	N. KUDEKEN, K. KAWAKAMI & A. SAITO Different susceptibilities of yeasts and conidia of <i>Penicillium marneffei</i> to nitric oxide (NO)-mediated fungicidal activity of murine macrophages	287
G. ROGLER, M. HAUSMANN, D. VOGL, E. ASCHENBRENNER, T. ANDUS, W. FALK, R. ANDRESEN, J. SCHÖLMERICH & V. GROSS Isolation and phenotypic characterization of colonic macrophages	205	A. E. SOUSA & R. M. M. VICTORINO Single-cell analysis of lymphokine imbalance in asymptomatic HIV-1 infection: evidence for a major alteration within the CD8 ⁺ T cell subset	294
M. J. H. J. PALMEN, O. L. C. WIJBURG, I. H. KUNST, H. KROES, & E. P. VAN REES CD4 ⁺ T cells from 2,4,6-trinitrobenzene sulfonic acid (TNBS)-induced colitis rodents migrate to the recipient's colon upon transfer, down-regulation by CD8 ⁺ T cells	216	J. A. L. KURTZHALS, C. M. REIMERT, E. TETTE, S. K. DUNYO, K. A. KORAM, B. D. AKANMORI, F. K. NKUMAH & L. HVIID Increased eosinophil activity in acute <i>Plasmodium falciparum</i> infection—association with cerebral malaria	303
F. A. AROSA, C. IRWIN, L. MAYER, M. DE SOUSA & D. N. POSNETT Interactions between peripheral blood CD8 T lymphocytes and intestinal epithelial cells (iEC)	226	C. G. K. LÜDER, T. LANG, B. BEUERLE & U. GROSS Down-regulation of MHC class II molecules and inability to up-regulate class I molecules in murine macrophages after infection with <i>Toxoplasma gondii</i>	308
T. INABA, M. MIZUNO, S. OHYA, M. KAWADA, T. UESU, J. NASU, K. TAKEUCHI, M. NAKAGAWA, H. OKADA, T. FUJITA & T. TSUJI Decay-accelerating factor (DAF) in stool specimens as a marker of disease activity in patients with ulcerative colitis (UC)	237	S. HIROHATA & T. HASHIMOTO Abnormal T cell responses to bacterial superantigens in Behçet's disease (BD)	317
		T. ATSUMI, M. A. KHAMASHTA, O. AMENGUAL, S. DONOHUE, I. MACKIE, K. ICHIKAWA, T. KOIKE & G. R. V. HUGHES Binding of anticardiolipin antibodies on the protein C via β_2 -glycoprotein I (β_2 -GPI): a possible mechanism in the inhibitory effect of antiphospholipid antibodies on the protein C system	325
		W. N. M. HUSTINX, C. P. M. VAN KESSEL, E. HEEZIUS, S. BURGERS, J.-W. LAMMERS & I. M. HOEPELMAN Effects of granulocyte colony-stimulating factor (G-CSF) treatment on granulocyte function and receptor expression in patients with ventilator-dependent pneumonia	334

U. SUNDIN, S. NAVA & L. HAMMARSTRÖM Induction of unresponsiveness against IgA in IgA-deficient patients on subcutaneous immunoglobulin infusion therapy	341	S. DIONNE, I. D. D'AGATA, J. HISCOTT, T. VANOUNOU & E. G. SEIDMAN Colonic explant production of IL-1 and its receptor antagonist is imbalanced in inflammatory bowel disease (IBD)	435
M. GOMPELS, S. PATTERSON, M. S. ROBERTS, S. E. MACATONIA, A. J. PINCHING & S. C. KNIGHT Increase in dendritic cell numbers, their function and the proportion uninfected during AZT therapy	347	K. BONHAGEN, S. THOMA, F. LEITHÄUSER, P. MÖLLER & J. REIMANN A pancolitis resembling human ulcerative colitis (UC) is induced by CD4+ TCR $\alpha\beta$ T cells of athymic origin in histocompatible severe combined immunodeficient (SCID) mice	443
Vol 112 No 3 June 1998		M. RUMBO, F. G. CHIRDO, M. C. AÑÓN & C. A. FOSSATI Detection and characterization of antibodies specific to food antigens (gliadin, ovalbumin and β -lactoglobulin) in human serum, saliva, colostrum and milk	453
D. A. KOSTYAL, V. L. HICKEY, J. D. NOTI, G. L. SUSSMAN & D. H. BEEZHOLD Cloning and characterization of a latex allergen (<i>Hev b</i> 7): homology to patatin, a plant PLA ₂	355	M. UMEMOTO, E. AZUMA, M. HIRAYAMA, M. NAGAI, S. HIRATAKE, J. QI, T. KUMAMOTO, M. KOBAYASHI, Y. KOMADA & M. SAKURAI Cytokine-enhanced mixed lymphocyte reaction (MLR) in cord blood	459
E. HODGES, J. DASMAHAPATRA, J. L. SMITH, C. T. QUIN, S. LANHAM, M. T. KRISHNA, S. T. HOLGATE & A. J. FREW T cell receptor (TCR) V β gene usage in bronchoalveolar lavage and peripheral blood T cells from asthmatic and normal subjects	363	T. ISHIZUKA, M. KAWAKAMI, T. HIDAKA, Y. MATSUKI, M. TAKAMIZAWA, K. SUZUKI, A. KURITA & H. NAKAMURA Stimulation with thromboxane A ₂ (TXA ₂) receptor agonist enhances ICAM-1, VCAM-1 or ELAM-1 expression by human vascular endothelial cells	464
M. A. CREMER, X. J. YE, K. TERATO, M. M. GRIFFITHS, W. C. WATSON & A. H. KANG Immunity to type IX collagen in rodents: a study of type IX collagen for autoimmune and arthritogenic activities	375	G. V. GREGORIO, P. PENSATI, R. IORIO, A. VEGNENTE, G. MIELI-VERGANI & D. VERGANI Autoantibody prevalence in children with liver disease due to chronic hepatitis C virus (HCV) infection	471
M. LEECH, P. HUTCHINSON, S. R. HOLDSWORTH & E. F. MORAND Endogenous glucocorticoids modulate neutrophil migration and synovial P-selectin but not neutrophil phagocytic or oxidative function in experimental arthritis	383	R. AGARWAL, U. C. CHATURVEDI, A. MISRA, R. MUKERJEE, S. KAPOOR, R. NAGAR, R. TANDON & A. MATHUR Production of cytotoxic factor by peripheral blood mononuclear cells (PBMC) in patients with dengue haemorrhagic fever	477
W. MUSTAFA, J. ZHU, G. DENG, A. DIAB, H. LINK, L. FRITHIOF & B. KLINGE Augmented levels of macrophage and Th1 cell-related cytokine mRNA in submandibular glands of MRL/lpr mice with autoimmune sialoadenitis	389	M. BACHMANN, H. DEISTER, A. PAUTZ, J. LAUBINGER, M. SCHMITZ, D. FALKE, J. PODLECH & D. GRÖLZ The human autoantigen La/SS-B accelerates herpes simplex virus type 1 replication in transfected mouse 3T3 cells	482
M. MIHARA, N. TAKAGI, Y. TAKEDA & Y. OHSUGI IL-6 receptor blockade inhibits the onset of autoimmune kidney disease in NZB/W F1 mice	397	S. G. R. G. BARTON, V. R. WINROW, D. S. RAMPTON, J. E. CRABTREE, I. L. P. BEALES & J. CALAM Circulating antibodies to the 60-kD heat shock protein (hsp) family in patients with <i>Helicobacter pylori</i> infection	490
N. SEO, Y. TOKURA, K. MATSUMOTO, F. FURUKAWA & M. TAKIGAWA Tumour-specific cytotoxic T lymphocyte activity in Th2-type Sézary syndrome: its enhancement by interferon-gamma (IFN- γ) and IL-12 and fluctuations in association with disease activity	403	K. MORIKAWA, K. NEMOTO, T. MIYAWAKI & S. MORIKAWA Deoxyspergualin preferentially inhibits the growth and maturation of anti-CD40-activated surface IgD+ B lymphocytes	495
R. LUQUE, J. A. BRIEVA, A. MORENO, A. MANZANAL, L. ESCRIBANO, J. VILLARRUBIA, J. L. VELASCO, J. LÓPEZ-JIMÉNEZ, C. CERVERÓ, M. J. OTERO, J. MARTÍNEZ, C. BELLAS & E. ROLDÁN Normal and clonal B lineage cells can be distinguished by their differential expression of B cell antigens and adhesion molecules in peripheral blood from multiple myeloma (MM) patients—diagnostic and clinical implications	410	G. FINGERLE-ROWSON, M. ANGSTWURM, R. ANDREESSEN & H. W. L. ZIEGLER-HEITBROCK Selective depletion of CD14+ CD16+ monocytes by glucocorticoid therapy	501
M. INOUE, Y. FUJII, M. OKUMURA, Y. TAKEUCHI, H. SHIONO, S. MIYOSHI, H. MATSUDA & R. SHIRAKURA Neoplastic thymic epithelial cells of human thymoma support T cell development from CD4+ CD8- cells to CD4+ CD8+ cells <i>in vitro</i>	419	T. ORTH, R. KELLNER, O. DIEKMANN, J. FAUST, K.-H. MEYER ZUM BÜSCHENFELDE & W.-J. MAYET Identification and characterization of autoantibodies against catalase and α -enolase in patients with primary sclerosing cholangitis	507
G. FÖRSTER, E. OTTO, C. HANSEN, K. OCHS & G. KAHALY Analysis of orbital T cells in thyroid-associated ophthalmopathy	427	S.-C. HUANG, R. JIANG, W. O. HUFNAGLE, D. E. FURST, K. R. WILSKE & E. C. B. MILNER V β usage and somatic hypermutation in peripheral blood B cells of patients with rheumatoid arthritis (RA)	516

- M. MARCONI, A. PLEBANI, M. A. AVANZINI, R. MACCARIO,
A. PISTORIO, M. DUSE, M. STRINGA & V. MONAFO
IL-10 and IL-4 co-operate to normalize *in vitro* IgA
production in IgA-deficient (IgAD) patients 528
L.-F. PAN, R. A. KREISLE & Y.-D. SHI
Detection of Fcγ receptors on human endothelial cells
stimulated with cytokines tumour necrosis factor-α
(TNF-α) and interferon-γ (IFN-γ) 533

- W. J. KING, C. J. BROOKS, R. HOLDER, P. HUGHES,
D. ADU & C. O. S. SAVAGE
T lymphocyte responses to anti-neutrophil cytoplasmic
autoantibody (ANCA) antigens are present in patients
with ANCA-associated systemic vasculitis and persist
during disease remission 539

